

Profi GO 12 Front Profi R

Data sheet

Details

- Masonry stove heat-kits based on the well-known Profi-Serie
- 1-sided open combustion chamber
- The outer shell is consisting of 60 mm thick heat storage material for a long-lasting heat release
- Manual combustion air supply
- Hinged door, self-closing
- With 4 flue gas connection options
- Suitable for multiple flue connections
- Integrated sensor seat for the SMR Multi Regulator above the firebox door



Profi GO 12 – Front Profi R

Technical data

• Fuel volume min.	5 kg
• Fuel volume max.	15 kg
• Efficiency	> 80 %
• Combustion air requirement	133,9 m³/h
• Recommended length of logs	33 cm
• Weight	465 kg

Data for chimney sweep according to DIN EN 13384 (closed operation)

Ceramic flues in storage operation

• Flue gas mass flow	36 g/s
• Flue gas temperature at the chimney connection	600 °C
• Required delivery pressure	8 Pa

Standard



Optional



Accessories



Energy efficiency class in accordance with (EU) 2015/1186



1. Federal Emissions Control Ordinance Stage 2




There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018


Profi GO 12 Front Profi R

Dimensional drawing


Front view, scale 1:20



Side view, scale 1:20



Top view, scale 1:10



Product data sheet

Regulation (EU) 2015/1186 supplementing Directive 2010/30/EU

	Profi GO 12
Supplier's name:	Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Supplier's model identifier:	Profi GO 12
Energy efficiency class:	A+
Direct heat output (kW)	12,0
Indirect heat output (kW):	–
Energy efficiency index (EEI):	108,9
Energy efficiency at nominal heat output (%):	82,0
Notes for specific precautions, installation or maintenance:	Please note the reference in the assembly instructions and operating manuals!

There may be modifications to technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2021




ENERG
енергия · ενέργεια



Camina  Schmid Profi GO 12



A⁺



12,0
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186