



























N1

Data sheets




Figure: N1 | Natural stone (two-tone): Blanco Nacarado with Negro Abanilla

Standard	Total weight	Optional	Accessories	Natural stone	Fireplace insert
 Front Kristall	 approx. 470 kg	 Front Kristall + (except Lina W)	 Hot water top-mounted element  Boiler unit Lina W / Ekko W	 <i>Blanco Carrara</i>  <i>Blanco Macael</i>	
 Guillotine door		 Double glass	 Top mounted heat exchanger  Hot air top-mounted element	 <i>Blanco Nacarado</i>  <i>Caliza Moka</i>	<p>Lina 7363 h Nominal heat output: 9 kW Flue gas connector: Ø 200 mm</p>
		 Tunnel version	 Electric door drive  External fuel-door	 <i>Crema Marfil</i>  <i>Marron Emperador</i>	<p>Energy efficiency class as per (EU) 2015/1186 for fireplace insert</p>
			 SMR  Spark protection plate	 <i>Travertino Romano</i>  <i>Negro Abanilla</i>	<p>More information at www.camina-schmid.de</p>
				 <i>Rojo Alicante</i>  <i>Rosa Claro</i>	
				 <i>Rosa Crema</i>	
				<p>Natural stone façade also available separately!</p>	


N1

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.



























Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N2

Data sheets




Figure: N2 | Natural stone: Rosa Crema

Standard	Total weight	Optional	Accessories	Natural stone	Fireplace insert
 Front Kristall  Guillotine door	 approx. 630 kg	 Double glass  Tunnel version	<div>  Hot water top-mounted element  Boiler unit Lina W / Ekko W </div> <div>  Top mounted heat exchanger  Hot air top-mounted element </div> <div>  Electric door drive  External fuel-door </div> <div>  SMR  Spark protection plate </div>	<div>  <i>Blanco Carrara</i>  <i>Blanco Macael</i> </div> <div>  <i>Blanco Nacarado</i>  <i>Caliza Moka</i> </div> <div>  <i>Crema Marfil</i>  <i>Marron Emperador</i> </div> <div>  <i>Travertino Romano</i>  <i>Negro Abanilla</i> </div> <div>  <i>Rojo Alicante</i>  <i>Rosa Claro</i> </div> <div>  <i>Rosa Crema</i> </div> <p>Natural stone façade also available separately!</p>	 Lina 7363 h Nominal heat output: 9 kW Flue gas connector: Ø 200 mm <div>  </div> Energy efficiency class as per (EU) 2015/1186 for fireplace insert More information at www.camina-schmid.de


N2

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC) (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Stand: 06/2020

N3

Data sheets



Figure: N3 | Natural stone (two-tone): Blanco Nacarado with Habana

Standard



Front Kristall



Guillotine door

Total weight



approx. 620 kg

Optional



Double glass



Tunnel version

Accessories



Hot water top-mounted element



Top mounted heat exchanger



Hot air top-mounted element



Electric door drive



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 7357 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N3

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N4

Data sheets



Figure: N4 | Natural stone: Blanco Carrara

Standard



Front Kristall



Guillotine door

Total weight



approx. 633 kg

Optional



Double glass

Accessories



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 8770 h
Nominal heat output: 19 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N4

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Stand: 07/2024

N5

Data sheets



Figure: N5 | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 400 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N5

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N8

Data sheets



Figure: N8 | Natural stone: Negro Abanilla

Standard



Front Kristall



Guillotine door

Total weight



approx. 410 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 6751 h
Nominal heat output: 9 kW
Flue gas connector: Ø 180 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N8

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

























Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N9

Data sheets




Figure: N9 | Natural stone (two-tone): Caliza Moka with Negro Abanilla

Standard	Total weight	Optional	Accessories	Natural stone	Fireplace insert
 Front Kristall	 approx. 420 kg	 Guillotine door	 Hot water top-mounted element	 <i>Blanco Carrara</i>	
 Hinged door Hinge on left/right		 Double glass	 Top mounted heat exchanger	 <i>Blanco Macael</i>	<p>Lina 5557 s Nominal heat output: 7 kW Flue gas connector: Ø 180 mm</p>
		 Tunnel version	 Hot air top-mounted element	 <i>Blanco Nacarado</i>	<p>Energy efficiency class as per (EU) 2015/1186 for fireplace insert</p>
			 External fuel-door	 <i>Caliza Moka</i>	<p>A⁺</p>
			 SMR	 <i>Crema Marfil</i>	<p>More information at www.camina-schmid.de</p>
			 Spark protection plate	 <i>Marron Emperador</i>	
				 <i>Travertino Romano</i>	
				 <i>Negro Abanilla</i>	
				 <i>Rojo Alicante</i>	
				 <i>Rosa Claro</i>	
				 <i>Rosa Crema</i>	
				<p>Natural stone façade also available separately!</p>	


N9

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

























Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N10

Data sheets




Figure: N10 | Natural stone: Negro Abanilla

Standard	Total weight	Optional	Accessories	Natural stone	Fireplace insert
 Front Kristall	 approx. 320 kg	 Guillotine door	 Hot water top-mounted element  Top mounted heat exchanger	 <i>Blanco Carrara</i>  <i>Blanco Macael</i>	
 Hinged door Hinge on left/right		 Double glass	 Hot air top-mounted element  External fuel-door	 <i>Blanco Nacarado</i>  <i>Caliza Moka</i>	<p>Lina 4557 s Nominal heat output: 7 kW Flue gas connector: Ø 180 mm</p>
		 Tunnel version	 SMR  Spark protection plate	 <i>Crema Marfil</i>  <i>Marron Emperador</i>	<p>Energy efficiency class as per (EU) 2015/1186 for fireplace insert</p>
				 <i>Travertino Romano</i>  <i>Negro Abanilla</i>	<p>More information at www.camina-schmid.de</p>
				 <i>Rojo Alicante</i>  <i>Rosa Claro</i>	
				 <i>Rosa Crema</i>	
				<p>Natural stone façade also available separately!</p>	


N10

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N11

Data sheets



Figure: N11 | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 400 kg

Optional



Double glass



Tunnel version

Accessories



Electric door drive



SMR



External fuel-door



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 6780 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N11

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.




























Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N12

Data sheets




Figure: N12 | Natural stone: Caliza Moka

Standard	Total weight	Optional	Accessories		Natural stone	Fireplace insert
 Front Kristall	 approx. 460 kg	 Front Kristall + (except Lina W)	 Hot water top-mounted element	 Boiler unit Lina W / Ekko W	 <i>Blanco Carrara</i>	 <i>Blanco Macael</i>
 Guillotine door		 Double glass	 Top mounted heat exchanger	 Hot air top-mounted element	 <i>Blanco Nacarado</i>	 <i>Caliza Moka</i>
		 Tunnel version	 Electric door drive	 External fuel-door	 <i>Crema Marfil</i>	 <i>Marron Emperador</i>
			 SMR	 Spark protection plate	 <i>Travertino Romano</i>	 <i>Negro Abanilla</i>
					 <i>Rojo Alicante</i>	 <i>Rosa Claro</i>
					 <i>Rosa Crema</i>	
					Natural stone façade also available separately!	
					 Lina 7363 h Nominal heat output: 9 kW Flue gas connector: Ø 200 mm	
					 Energy efficiency class as per (EU) 2015/1186 for fireplace insert	
					More information at www.camina-schmid.de	


N12

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N13

Data sheets



Figure: N13 | Natural stone: Travertino Romano

Standard



Front Kristall



Guillotine door

Total weight



approx. 430 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N13

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

























Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N14

Data sheets




Figure: N14 | Natural stone: Rojo Alicante

Standard	Total weight	Optional	Accessories	Natural stone	Fireplace insert
 Front Anthracite  Guillotine door	 approx. 390 kg	 Tunnel version	<div>  Hot water top-mounted element </div> <div>  Top mounted heat exchanger </div> <div>  Hot air top-mounted element </div> <div>  Electric door drive </div> <div>  External fuel-door </div> <div>  SMR </div> <div>  Spark protection plate </div>	<div>  <i>Blanco Carrara</i> </div> <div>  <i>Blanco Macael</i> </div> <div>  <i>Blanco Nacarado</i> </div> <div>  <i>Caliza Moka</i> </div> <div>  <i>Crema Marfil</i> </div> <div>  <i>Marron Emperador</i> </div> <div>  <i>Travertino Romano</i> </div> <div>  <i>Negro Abanilla</i> </div> <div>  <i>Rojo Alicante</i> </div> <div>  <i>Rosa Claro</i> </div> <div>  <i>Rosa Crema</i> </div> <div> Natural stone façade also available separately! </div>	 Pano 6757 h Nominal heat output: 9 kW Flue gas connector: Ø 180 mm <div>  </div> Energy efficiency class as per (EU) 2015/1186 for fireplace insert More information at www.camina-schmid.de


N14

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N16

Data sheets



Figure: N16 | Natural stone: Crema Marfil

Standard



Front Kristall



Guillotine door

Total weight



approx. 500 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N16

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N17

Data sheets



Figure: N17 | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 730 kg

Optional

Accessories



Hot air top-mounted element



Electric door drive



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Ekko L/R 67(45)57 h
Nominal heat output: 9 kW
Flue gas connector: Ø 180 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N17

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.























Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N18

Data sheets




Figure: N18 | Natural stone: Crema Marfil

Standard	Total weight	Optional	Accessories	Natural stone	Fireplace insert
 Front Anthracite  Guillotine door	 approx. 370 kg		<div>  Hot water top-mounted element </div> <div>  Top mounted heat exchanger </div> <div>  Hot air top-mounted element </div> <div>  External fuel-door </div> <div>  SMR </div> <div>  Spark protection plate </div>	<div>  <i>Blanco Carrara</i> </div> <div>  <i>Blanco Macael</i> </div> <div>  <i>Blanco Nacarado</i> </div> <div>  <i>Caliza Moka</i> </div> <div>  <i>Crema Marfil</i> </div> <div>  <i>Marron Emperador</i> </div> <div>  <i>Travertino Romano</i> </div> <div>  <i>Negro Abanilla</i> </div> <div>  <i>Rojo Alicante</i> </div> <div>  <i>Rosa Claro</i> </div> <div>  <i>Rosa Crema</i> </div> <div> Natural stone façade also available separately! </div>	 Pano 5557 h Nominal heat output: 7 kW Flue gas connector: Ø 180 mm <div>  </div> Energy efficiency class as per (EU) 2015/1186 for fireplace insert More information at www.camina-schmid.de


N18

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N19

Data sheets



Figure: N19 | Natural stone: Travertino Romano

Standard



Front Kristall



Guillotine door

Total weight



approx. 450 kg

Optional



Double glass



Tunnel version

Accessories



Hot water top-mounted element



Top mounted heat exchanger



Hot air top-mounted element



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 4557 h
Nominal heat output: 7 kW
Flue gas connector: Ø 180 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N19

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N20

Data sheets



Figure: N20 | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 600 kg

Optional



Double glass



Tunnel version

Accessories



Electric door drive



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 6780 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N20

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.



























Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Stand: 10/2020


N22

Data sheets



Figure: N22 | Natural stone: Blanco Carrara

Standard	Total weight	Optional	Accessories		Natural stone		Fireplace insert
 Front Kristall	 approx. 380 kg	 Front Kristall + (except Lina W)	 Hot water top-mounted element	 Boiler unit Lina W / Ekko W	 <i>Blanco Carrara</i>	 <i>Blanco Macael</i>	 Lina 7363 h Nominal heat output: 9 kW Flue gas connector: Ø 200 mm
 Guillotine door		 Double glass	 Top mounted heat exchanger	 Hot air top-mounted element	 <i>Blanco Nacarado</i>	 <i>Caliza Moka</i>	
		 Tunnel version	 Electric door drive	 External fuel-door	 <i>Crema Marfil</i>	 <i>Marron Emperador</i>	
			 SMR	 Spark protection plate	 <i>Travertino Romano</i>	 <i>Negro Abanilla</i>	
					 <i>Rojo Alicante</i>	 <i>Rosa Claro</i>	
					 <i>Rosa Crema</i>		
					Natural stone façade also available separately!		



Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N22

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N23

Data sheets



Figure: N23 | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 420 kg

Optional

Accessories



Hot air top-mounted element



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Ekko 45(45)57 h
Nominal heat output: 7 kW
Flue gas connector: Ø 180 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N23

Dimensional drawing

Front view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: **AS (FGC):** Flue gas connector, **VLS (CAC):** Combustion air connector, **OKFF (FFL):** Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N24 Amberes

Data sheets



Figure: N24 (Amberes) | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 850 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N24 Amberes

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N25 Atlanta

Data sheets



Figure: N25 (Atlanta) | Natural stone: Blanco Carrara

Standard



Front Kristall



Guillotine door

Total weight



approx. 660 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Hot air top-moun-
ted element



External
fuel-door



Spark protection
plate



Top mounted heat
exchanger



Electric door
drive



SMR

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 8757 h
Nominal heat output: 10 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N25 Atlanta

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N26

Bruselas

Data sheets



Figure: N26 (Bruselas) | Natural stone: Crema Marfil

Standard



Front Kristall



Guillotine door

Total weight



approx. 380 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N26 Bruselas

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N27 Burgos

Data sheets



Figure: N27 (Burgos) | Natural stone: Crema Marfil

Standard



Front Kristall



Guillotine door

Total weight



approx. 390 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N27 Burgos

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N28 Celine

Data sheets



Figure: N28 (Celine) | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 365 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N28 Celine

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N29 Merida

Data sheets



Figure: N29 (Merida) | Natural stone: Crema Marfil

Standard



Front Kristall



Guillotine door

Total weight



approx. 430 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N29 Merida

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N30 Nat

Data sheets



Figure: N30 (Nat) | Natural stone: Blanco Nacarado

Standard



Front Kristall



Guillotine door

Total weight



approx. 335 kg

Optional



Double glass



Tunnel version

Accessories



Hot water top-mounted element



Top mounted heat exchanger



Hot air top-mounted element



Electric door drive



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 6757 h
Nominal heat output: 9 kW
Flue gas connector: Ø 180 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N30 Nat

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N31 Oslo

Data sheets



Figure: N31 (Oslo) | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 520 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N31 Oslo

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N32 Oxford

Data sheets



Figure: N32 (Oxford) | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 460 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N32 Oxford

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N33 Paris

Data sheets



Figure: N33 (Paris) | Natural stone: Rojo Alicante

Standard



Front Kristall



Guillotine door

Total weight



approx. 510 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N33 Paris

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N34 Pisa

Data sheets



Figure: N34 (Pisa) | Natural stone: Rosa Crema

Standard



Front Kristall



Guillotine door

Total weight



approx. 420 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N34 Pisa

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N35 Praga

Data sheets



Figure: N35 (Praga) | Natural stone: Blanco Carrara

Standard



Front Kristall



Guillotine door

Total weight



approx. 400 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N35 Praga

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Stand: 01/2019

N36 Preston

Data sheets



Figure: N36 (Preston) | Natural stone: Rosa Claro

Standard



Front Kristall



Guillotine door

Total weight



approx. 845 kg

Optional



Double glass



Tunnel version

Accessories



Hot air top-mounted element



Electric door drive



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 10057 h
Nominal heat output: 10 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N36 Preston

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N37 Riga

Data sheets



Figure: N37 (Riga) | Natural stone: Crema Marfil

Standard



Front Kristall



Guillotine door

Total weight



approx. 480 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N37 Riga

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N38 Verona

Data sheets



Figure: N38 (Verona) | Natural stone: Blanco Macael

Standard



Front Kristall



Guillotine door

Total weight



approx. 550 kg

Optional



Double glass



Tunnel version

Accessories



Hot air top-mounted element



Electric door drive



External fuel-door



SMR



Spark protection plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also available separately!

Fireplace insert



Lina 10057 h
Nominal heat output: 10 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as per (EU) 2015/1186 for fireplace insert

More information at www.camina-schmid.de


N38 Verona

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N39 Viena

Data sheets



Figure: N39 (Viena) | Natural stone: Blanco Carrara

Standard



Front Kristall



Guillotine door

Total weight



approx. 480 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N39 Viena

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018

N40 Washington

Data sheets



Figure: N40 (Washington) | Natural stone: Caliza Moka

Standard



Front Kristall



Guillotine door

Total weight



approx. 510 kg

Optional



Front Kristall +
(except Lina W)



Double glass



Tunnel version

Accessories



Hot water top-
mounted element



Boiler unit
Lina W / Ekko W



Top mounted heat
exchanger



Hot air top-moun-
ted element



Electric door
drive



External
fuel-door



SMR



Spark protection
plate

Natural stone



Blanco Carrara



Blanco Macael



Blanco Nacarado



Caliza Moka



Crema Marfil



Marron
Emperador



Travertino Romano



Negro Abanilla



Rojo Alicante



Rosa Claro



Rosa Crema

Natural stone façade also
available separately!

Fireplace insert



Lina 7363 h
Nominal heat output: 9 kW
Flue gas connector: Ø 200 mm




Energy efficiency class as
per (EU) 2015/1186
for fireplace insert

More information at
www.camina-schmid.de


N40 Washington

Dimensional drawing


Front view, scale 1:25



Left side view, scale 1:25



Top view, scale 1:25



Note on left side view, scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2018