












S10

Data sheet



Figure: S10 with design concrete
Surface finish:
Camina concrete point


Figure: S10 | Surface finish: Camina concrete point

Standard	Total weight	Optional	Accessories		Storage concrete	Fireplace insert
 <p>hinged door Hinge on left / right</p>  <p>Front Kristall</p>  <p>Rear-ventilated back wall</p>	 <p>approx. 685 kg</p>	 <p>Guillotine door</p>	 <p>Ekko W boiler unit</p>  <p>Spark protection plate</p>	 <p>SMR</p>	 <p>Storage concrete</p>  <p>Design concrete</p>	 <p>Ekko L/R 67(45)51 s (one-piece frame) Nominal heat output: 9 kW Flue gas connector: Ø 180 mm</p> <div>  <p>Energy efficiency class as per (EU) 2015/1186</p> </div> <p>More information at www.camina-schmid.de</p>


S10

Dimensional drawing


Front view, scale 1:25



Left side view scale 1:25



Top view, scale 1:25



Note on left side view scale 1:25: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, VLZ (CAS): Combustion air supply, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.
















Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 06/2021

S10 natural stone fire table

Data sheet




Figure: S10 with Nero natural stone fire table | Surface finish: Camina concrete paint


Standard	Total weight	Optional	Accessories		Natural stone	Fireplace insert
 <p>hinged door Hinge on left / right</p>  <p>Front Kristall</p>  <p>Rear-ventilated back wall</p>	 <p>approx. 698 kg</p>	 <p>Guillotine door</p>	 <p>Ekko W boiler unit</p>  <p>Spark protection plate</p>	 <p>SMR</p>	 <p>Blanco Carrara</p>  <p>Mocca Creme</p>  <p>Nero matt</p>  <p>Grigio matt</p>  <p>Nero</p>	 <p>Ekko L/R 67(45)51 s (one-piece frame) Nominal heat output: 9 kW Flue gas connector: Ø 180 mm</p> <div>  <p>Energy efficiency class as per (EU) 2015/1186</p> </div> <p>More information at www.camina-schmid.de</p>

S10 natural stone fire table
Dimensional drawing


Front view, scale 1:25



Left side view scale 1:25



Top view, scale 1:25



Note on left side view scale 1:25: AS (FGC): Flue gas connector, **VLS (CAC):** Combustion air connector, **VLZ (CAS):** Combustion air supply, **OKFF (FFL):** Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 06/2021