

# S12 High

## Data sheet













Figure: S12 High with design concrete  
Surface finish:  
Camina silicate paint



Figure: S12 High | Surface finish: Camina silicate paint




Information  
on the wall  
structure

Standard	Total weight	Optional	Accessories	Storage concrete	Fireplace insert
 <p>Guillotine door</p>  <p>Front Kristall</p>  <p>Rear-ventilated back wall</p>	 <p>kg</p> <p>approx. 460 kg</p>		 <p>SMR</p>  <p>Spark protection plate</p>	 <p>Storage concrete</p>  <p>Design concrete</p>	 <p>Ekko U 45(34)51 h Nominal heat output: 4 kW Flue gas connector: Ø 160 mm</p> <div>  <p>Energy efficiency class as per (EU) 2015/1186</p> </div> <p>More information at <a href="http://www.camina-schmid.de">www.camina-schmid.de</a></p>


# S12 High

## Dimensional drawing

Front view, scale 1:25




**Left side view scale 1:25**




Top view, scale 1:25

### Connection position. 1



Top view, scale 1:30



**Note on left side view scale 1:25: AS (FGC):** Flue gas connector, **VLS (CAC):** Combustion air connector, **OKFF (FFL):** Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2019














# S12 High natural stone bench

## Data sheet







Information  
on the wall  
structure

Figure: S12 High with Grigio matt natural stone bench (with overhang) | Surface finish: Camina silicate paint

Standard	Total weight	Optional	Accessories	Storage concrete	Fireplace insert
 Guillotine door	 approx. 460 kg		 SMR	 Blanco Carrara	
 Front Kristall			 Spark protection plate	 Grigio matt	<p>Ekko U 45(34)51 h Nominal heat output: 4 kW Flue gas connector: Ø 160 mm</p>
 Rear-ventilated back wall				 Mocca Creme	
				 Nero	<p>Energy efficiency class as per (EU) 2015/1186</p>
				 Nero matt	<p>More information at <a href="http://www.camina-schmid.de">www.camina-schmid.de</a></p>

## S12 High natural stone bench

Dimensional drawing



**Note on left side view scale 1:25: AS (FGC):** Flue gas connector, **VLS (CAC):** Combustion air connector, **OKFF (FFL):** Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 07/2019