

S14

Data sheet



Figure: S14 with design concrete
Surface finish:
Camina concrete paint



Figure: S14 | Surface finish: Camina concrete paint



Information
on the wall
structure



| Standard | Total weight | Optional | Accessories | Storage concrete | Fireplace insert |
|--|---|----------|--|---|--|
|  Guillotine door |  approx. 680 kg | |  SMR |  Spark protection plate |  Storage concrete |
|  Front Kristall | | | | | |
|  Rear-ventilated back wall | | | | |  Ekko U 55(67)51h Nominal heat output: 9 kW Flue gas connector: Ø 200 mm |



 Energy efficiency class as per
 (EU) 2015/1186

More information at
www.camina-schmid.de


S14

Dimensional drawing


Front view, scale 1:20



Left side view scale 1:20



Top view, scale 1:25



Note on left side view scale 1:20: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2020

S14 design concrete

Data sheet



Figure: S14 with design concrete | Surface finish: Camina concrete paint


| Standard | Total weight | Optional | Accessories | Storage concrete | Fireplace insert |
|--|---|----------|--|---|---|
|  Guillotine door |  approx. 680 kg | |  SMR |  Spark protection plate |  Design concrete |
|  Front Kristall | | | | |  Ekko U 55(67)51 h Nominal heat output: 9 kW Flue gas connector: Ø 200 mm |
|  Rear-ventilated back wall | | | | |  Energy efficiency class as per (EU) 2015/1186 |

More information at
www.camina-schmid.de


S14 design concrete

Dimensional drawing


Front view, scale 1:20



Left side view scale 1:20



Top view, scale 1:25



Note on left side view scale 1:20: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2020

S14 natural stone fire table

Data sheet



Figure: S14 with Grigio matt natural stone fire table | Surface finish: Camina concrete paint

| Standard | Total weight | Optional | Accessories | Storage concrete | Fireplace insert |
|--|---|----------|---|---|--|
|  Guillotine door |  approx. 685 kg | |  SMR |  Blanco Carrara |  Grigio matt |
|  Front Kristall | | |  Spark protection plate |  Mocca Creme |  Nero |
|  Rear-ventilated back wall | | | |  Nero matt |  Ekko U 55(67)51h Nominal heat output: 9 kW Flue gas connector: Ø 200 mm |


Energy efficiency class as per
(EU) 2015/1186

More information at
www.camina-schmid.de


S14 natural stone fire table

Dimensional drawing


Front view, scale 1:20



Left side view scale 1:20



Top view, scale 1:30



Note on left side view scale 1:20: AS (FGC): Flue gas connector, VLS (CAC): Combustion air connector, OKFF (FFL): Finished floor level

Please note the information on **optional accessories** in our price list.

Illustrations are similar. All photos and drawings are protected by copyright. Usage or publication, even of individual details, is only permitted with our authorisation. There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2020