Fireplace cassette inserts pro

Data sheet

Details

- Ideal as replacement models for over 100 different models from well-known manufacturers
- Environmentally-friendly combustion with efficient flue gas guidance
- Higher efficiency due to power-free automatic control
- Comfortable installation due to height-adjustable feet
- Different models

Triple values to calculate the chimney in accordance with EN 16510-2-2

HK 65

Nominal heat output	6,5 kW
Max. loading capacity	2,0 kg
Flue gas mass flow	6,79 g/s
Flue gas temperature	282 °C
Minimum delivery pressure	12 Pa

HK 80

Nominal heat output	8 kW
Max. loading capacity	2,5 kg
Flue gas mass flow	8,6 g/s
Flue gas temperature	269 °C
Minimum delivery pressure	12 Pa

HK 100

Nominal heat output	10 kW
Max. loading capacity	3,0 kg
Flue gas mass flow	10,4 g/s
Flue gas temperature	256 °C
Minimum delivery pressure	12 Pa

HK 125

Nominal heat output	12,5 kW
Max. loading capacity	3,75 kg
Flue gas mass flow	13,17 g/s
Flue gas temperature	271 °C
Minimum delivery pressure	12 Pa

HK 150

Nominal heat output	15 kW
Max. loading capacity	4,2 kg
Flue gas mass flow	15,93 g/s
Flue gas temperature	286 °C
Minimum delivery pressure	12 Pa

Model selection

1 side

2 side left

2 side right

3 side

Panorama

Round glass



Curved arch

Tunnel version

HK 65 - HK 125

Energieeffizienz-klasse nach (EU) 2015/1186

HK 150

Energieeffizienz-klasse nach (EU) 2015/1186

Made in Germany

EFA

There may be modifications to the colour and technical details caused by ongoing developments; subject to errors and omissions. Dated: 02/2026

Product data sheet

Regulation (EU) 2015/1186 supplementing Directive 2010/30/EU

	HK 65
Supplier's name:	Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Supplier's model identifier:	HK 65
Energy efficiency class:	A+
Direct heat output (kW)	6,5
Indirect heat output (kW):	–
Energy efficiency index (EEI):	109
Energy efficiency at nominal heat output (%):	81,4
Notes for specific precautions, installation or maintenance:	Please note the reference in the assembly instructions and operating manuals!

There may be modifications to technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2021

Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Gewerbepark 18 · 49143 Bissendorf · Phone +49 5402 7010-10 · Fax +49 5402 7010-70
www.camina-schmid.de · info@camina-schmid.de

ENERG
енергия · ενεργεια
Y IJA IE IA

Camina Schmid **HK 65**

A+



6,5
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186

Product data sheet

Regulation (EU) 2015/1186 supplementing Directive 2010/30/EU

	HK 80
Supplier's name:	Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Supplier's model identifier:	HK 80
Energy efficiency class:	A+
Direct heat output (kW)	8,0
Indirect heat output (kW):	–
Energy efficiency index (EEI):	110,6
Energy efficiency at nominal heat output (%):	82,5
Notes for specific precautions, installation or maintenance:	Please note the reference in the assembly instructions and operating manuals!

There may be modifications to technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2021

Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Gewerbepark 18 · 49143 Bissendorf · Phone +49 5402 7010-10 · Fax +49 5402 7010-70
www.camina-schmid.de · info@camina-schmid.de

ENERG
енергия · ενεργεια
Y IJA IE IA

Camina Schmid **HK 80**

A++
A+
A
B
C
D
E
F
G

A+



8,0
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186

Product data sheet

Regulation (EU) 2015/1186 supplementing Directive 2010/30/EU

	HK 100
Supplier's name:	Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Supplier's model identifier:	HK 100
Energy efficiency class:	A+
Direct heat output (kW)	10,0
Indirect heat output (kW):	–
Energy efficiency index (EEI):	112,1
Energy efficiency at nominal heat output (%):	83,5
Notes for specific precautions, installation or maintenance:	Please note the reference in the assembly instructions and operating manuals!

There may be modifications to technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2021

Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Gewerbepark 18 · 49143 Bissendorf · Phone +49 5402 7010-10 · Fax +49 5402 7010-70
www.camina-schmid.de · info@camina-schmid.de

ENERG Y IJA
енергия · ενεργεια IE IA

Camina Schmid **HK 100**

A+



10,0
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186

Product data sheet

Regulation (EU) 2015/1186 supplementing Directive 2010/30/EU

	HK 125
Supplier's name:	Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Supplier's model identifier:	HK 125
Energy efficiency class:	A+
Direct heat output (kW)	12,5
Indirect heat output (kW):	–
Energy efficiency index (EEI):	110
Energy efficiency at nominal heat output (%):	82,1
Notes for specific precautions, installation or maintenance:	Please note the reference in the assembly instructions and operating manuals!

There may be modifications to technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2021

Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Gewerbepark 18 · 49143 Bissendorf · Phone +49 5402 7010-10 · Fax +49 5402 7010-70
www.camina-schmid.de · info@camina-schmid.de

ENERG Y IJA
енергия · ενεργεια IE IA

Camina Schmid **HK 125**

A+



12,5
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186

Product data sheet

Regulation (EU) 2015/1186 supplementing Directive 2010/30/EU

	HK 150
Supplier's name:	Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Supplier's model identifier:	HK 150
Energy efficiency class:	A+
Direct heat output (kW)	15,0
Indirect heat output (kW):	–
Energy efficiency index (EEI):	108
Energy efficiency at nominal heat output (%):	80,6
Notes for specific precautions, installation or maintenance:	Please note the reference in the assembly instructions and operating manuals!

There may be modifications to technical details caused by ongoing developments; subject to errors and omissions. Dated: 11/2021

Camina & Schmid Feuerdesign und Technik GmbH & Co. KG
Gewerbepark 18 · 49143 Bissendorf · Phone +49 5402 7010-10 · Fax +49 5402 7010-70
www.camina-schmid.de · info@camina-schmid.de

ENERG
енергия · ενεργεια
Y IJA IE IA

Camina Schmid **HK 150**

A+



15,0
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186